




SMART WALL

**Frame
Collection**





R4VA Frame Cream Mosaico 30x30cm

Frame

The Frame collection extends the offering of wall tiles in the 25x76 cm size. The glossy surface is produced in seven colours, four neutral (Milk, Cream, Khaki and Sterling) and three bright (Plum, Aqua, Indigo). The collection is completed by 3D structures, decors and mosaics. Intended for installation in residential bathrooms or home spas.



R4ME Woodessence Brown 10x70cm - R4VA Frame Cream Mosaico 30x30cm - R4YA Frame Cream 25x76cm



R4YA Frame Cream 25x76cm - R4YD Frame Plum 25x76cm - R50S Frame Decoro Righe Cream 25x76cm



R4YH Frame Forma 3D Milk 25x76cm



R50T Frame Pannello 3 Milk 75x76cm



R4YG Frame Indigo 25x76cm



R4YC Frame Khaki 25x76cm - R4ZC Frame Khaki Mosaico 30x30cm



R4YM Frame Milk Decoro 1 25x76cm



R4XZ Frame Milk 25x76cm - R4YL Frame Forma 3D Aqua 25x76cm



R4AT Rewind Polvere 75x75cm - R4XZ Frame Milk 25x76cm - R4YG Frame Indigo 25x76cm - R4YH Frame Forma 3D Milk 25x76cm - R50T Frame Pannello 3 Milk 75x76cm




R4YJ Frame Forma 3D Cream 25x76cm



R4TS Woodtale Betulla Rt 15x120cm - R4YC Frame Khaki 25x76cm - R4YJ Frame Forma 3D Cream 25x76cm - R4ZC Frame Khaki Mosaico 30x30cm

White Body Wall Tiles



Aqua

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YF	Frame Aqua	MM 09													6	1,14	17,52	54	61,56	946,35



Cream

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YA	Frame Cream	MM 09													6	1,14	17,21	54	61,56	929,35



Indigo


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YG	Frame Indigo	MM 09													6	1,14	17,06	54	61,56	921,28

White Body Wall Tiles



Khaki

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YC	Frame Khaki	MM 09													6	1,14	16,97	54	61,56	916,21



Milk


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4XZ	Frame Milk	MM 09													6	1,14	17,23	54	61,56	930,33



Plum


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YD	Frame Plum	MM 09													6	1,14	17,13	54	61,56	925,16

White Body Wall Tiles



Sterling

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YE	Frame Sterling	MM 09													6	1,14	17,51	54	61,56	945,48



Forma 3d


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YH	Frame Forma 3d Milk	MM 09	•												6	1,14	16,91	54	61,56	913,08
25x76cm	Glossy	R4YJ	Frame Forma 3d Cream	MM 09	•												6	1,14	17,78	54	61,56	960,37
25x76cm	Glossy	R4YK	Frame Forma 3d Khaki	MM 09	•												6	1,14	18,30	54	61,56	988,28
25x76cm	Glossy	R4YL	Frame Forma 3d Aqua	MM 09	•												6	1,14	16,96	54	61,56	916,07
25x76cm	Glossy	R53D	Frame Forma 3d Sterling	MM 09	•												6	1,14	17,40	54	61,56	939,70



Majolica

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R4YM	Frame Milk Decoro 1	MM 09													6	1,14	17,14	54	61,56	925,71
25x76cm	Glossy	R4YN	Frame Cream Decoro	MM 09													6	1,14	17,14	54	61,56	925,71

White Body Wall Tiles




Tratto

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
25x76cm	Glossy	R50R	Frame Decoro Righe Milk	MM 09	•												2	0,38	6,06	72	27,36	436,36
25x76cm	Glossy	R50S	Frame Decoro Righe Cream	MM 09	•												2	0,38	6,06	72	27,36	436,36



C3


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
75x76cm	Glossy	R50T	Frame Pannello 3 Milk	MM 09	•												1	0,57	9,09	54	30,78	490,91
75x76cm	Glossy	R50U	Frame Pannello 3 Cream	MM 09	•												1	0,57	9,09	54	30,78	490,91



Mosaico 2,3x2,3 Aqua


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R4ZF	Frame Aqua Mosaico	MM 11,5	•												4	0,36	9,40	60	21,60	564,27

White Body Wall Tiles




Mosaico 2,3x2,3 Cream

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R4VA	Frame Cream Mosaico	MM 11,5	•												4	0,36	9,40	60	21,60	564,27



Mosaico 2,3x2,3 Milk


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R4YZ	Frame Milk Mosaico	MM 11,5	•												4	0,36	9,40	60	21,60	564,27



Mosaico 2,3x2,3 Khaki


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R4ZC	Frame Khaki Mosaico	MM 11,5	•												4	0,36	9,40	60	21,60	564,27

White Body Wall Tiles




Mosaico 2,3x2,3 Plum

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R4ZD	Frame Plum Mosaico	MM 11,5	•												4	0,36	9,40	60	21,60	564,27



Mosaico 2,3x2,3 Sterling



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R4ZE	Frame Sterling Mosaico	MM 11,5	•												4	0,36	9,40	60	21,60	564,27



Mosaico 2,3x2,3 Indigo

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R4ZG	Frame Indigo Mosaico	MM 11,5	•												4	0,36	9,40	60	21,60	564,27

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run


















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	EPD Spain	ISO 17889-1	Recycled Material
							
Greenguard	LEED Credits	FDES	Declare	HPD	CAM Sassuolo	CE 005MRZI	UKCA 005MRZUK
							
SASO							



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 16/04/2026

RAGNO 