

WALL TILES

Tempera
Collection





R5QR Woodstory Bianco 15x90cm - R6ZN Tempera Fango Rt 30x90cm - R6ZP Tempera Crema Rt 30x90cm - R75Y Imperiale Listello Titanio 1x90cm

Tempera

Neutral tones and bright colours distinguish Tempera, a wide range of surfaces for covering residential and commercial locations with a warm, vibrant atmosphere. The rectified 30x90 cm size is available in 6 colours, 2 three-dimensional structures, bright decors and mosaics in shades that match the plain tiles, ensuring maximum compositional versatility.



R6ZU Tempera Blu Rt 30x90cm - R709 Tempera Blu Struttura Shanghai 30x90cm - R739 Imperiale Venato Rt 60x60cm - R75Y Imperiale Listello Titanio 1x90cm



R6ZN Tempera Fango Rt 30x90cm



R70C Tempera Crema Decoro Time 30x90cm




R76N Tempera Decoro Tape Crema 30x90cm

White Body Wall Tiles



Antracite

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R6ZS	Tempera Antracite Rt	MM 10	•										V1		5	1,35	22,68	40	54,00	907,11



Bianco


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R6ZR	Tempera Bianco Rt	MM 10	•										V1		5	1,35	21,52	40	54,00	860,97



Blu

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R6ZU	Tempera Blu Rt	MM 10	•										V1		5	1,35	22,03	40	54,00	881,06

White Body Wall Tiles



Crema

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R6ZP	Tempera Crema Rt	MM 10	•										V1		5	1,35	21,92	40	54,00	876,77



Fango


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R6ZN	Tempera Fango Rt	MM 10	•										V1		5	1,35	22,32	40	54,00	892,71



Verde

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R6ZT	Tempera Verde Rt	MM 10	•										V1		5	1,35	22,28	40	54,00	891,24

White Body Wall Tiles



Trape 3D


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R6ZW	Tempera Fango Struttura Trape	MM 10	•										V1		5	1,35	23,01	40	54,00	920,25
30x90cm	Matt	R6ZY	Tempera Cream Struttura Trape	MM 10	•										V1		5	1,35	19,95	40	54,00	798,11
30x90cm	Matt	R6ZZ	Tempera Bianco Struttura Trape	MM 10	•										V1		5	1,35	19,59	40	54,00	783,63
30x90cm	Matt	R700	Tempera Antracite Struttura Trape	MM 10	•										V1		5	1,35	21,11	40	54,00	844,28
30x90cm	Matt	R701	Tempera Verde Struttura Trape	MM 10	•										V1		5	1,35	19,50	40	54,00	779,90
30x90cm	Matt	R703	Tempera Blu Struttura Trape	MM 10	•										V1		5	1,35	19,53	40	54,00	781,36



Shangai 3D

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R705	Tempera Crema Struttura Shangai	MM 10	•										V1		5	1,35	20,16	40	54,00	806,33
30x90cm	Matt	R707	Tempera Bianco Struttura Shangai	MM 10	•										V1		5	1,35	20,23	40	54,00	809,35
30x90cm	Matt	R708	Tempera Verde Struttura Shangai	MM 10	•										V1		5	1,35	20,48	40	54,00	819,30
30x90cm	Matt	R709	Tempera Blu Struttura Shangai	MM 10	•										V1		5	1,35	20,24	40	54,00	809,47

White Body Wall Tiles




Time

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R70C	Tempera Crema Decoro Time	MM 10	•										V1		5	1,35	22,73	40	54,00	909,09
30x90cm	Matt	R70G	Tempera Blu Decoro Time	MM 10	•										V1		5	1,35	22,73	40	54,00	909,09



Tape


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R76N	Tempera Decoro Tape Crema	MM 10	•										V1		2	0,54	9,09	30	16,20	272,73
30x90cm	Matt	R76P	Tempera Decoro Tape Bianco	MM 10	•										V1		2	0,54	9,09	30	16,20	272,73



Mosaico 2,3x2,3 Bianco


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R70T	Tempera Bianco Mosaico	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00

White Body Wall Tiles




Mosaico 2,3x2,3 Verde

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R70V	Tempera Verde Mosaico	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00



Mosaico 2,3x2,3 Blu


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R70X	Tempera Blu Mosaico	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00




Mosaico 2,3x2,3 Fango


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R70M	Tempera Fango Mosaico	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00

White Body Wall Tiles




Mosaico 2,3x2,3 Antracite



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R70U	Tempera Antracite Mosaico	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00



Mosaico 2,3x2,3 Crema

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R70R	Tempera Crema Mosaico	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run


















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	EPD Spain	ISO 17889-1	Recycled Material
							
Greenguard	LEED Credits	FDES	Declare	HPD	CAM Sassuolo	CE 005MRZI	UKCA 005MRZUK
							
SASO							



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 13/04/2026

RAGNO 