

CONCRETE EFFECT

Roots
Collection





RA7R Roots Beige Rt 100x100cm

Roots

Concrete-based surfaces with a subtly flawed look make up the Roots collection in the White, Grey, Beige and Multicolor shades, available with indoor and outdoor finishes for architectural projects with a sophisticated visual continuity. Roots is made with two innovative technologies: CleanOut Antibacterial Protection – for integrated antimicrobial protection of surfaces – and StepWise stoneware and ceramic featuring a soft feel and extremely high performance in terms of slip resistance.



R8JH Roots White Str District 30x90cm



R8MA Roots White Str 60x120cm - R8MG Roots White Str 60x60cm



R8JG Roots Grey Str District 30x90cm - R8LL Roots Grey Rt 60x60cm



R8LG Roots Beige Rt 60x120cm - R8MD Roots Beige Str 60x120cm




R8PQ Roots Beige Mosaico 30x30cm



R7FU Woodsense Avorio Rt 20x120cm - R8MH Roots Grey Str 60x60cm



R7FU Woodsense Avorio Rt 20x120cm - R8JH Roots White Str District 30x90cm



R8LE Roots White Rt 60x120cm - R8MC Roots Grey Str 60x120cm




R8J9 Roots Beige Rt 30x90cm - R8PM Roots Dec Bluwall Beige 30x90cm



R8JF Roots Beige Str District 30x90cm - R8LG Roots Beige Rt 60x120cm



R8JD Roots Decoro Bluwall Grey 30x90cm



R8LE Roots White Rt 60x120cm - R8LF Roots Grey Rt 60x120cm



R8LH Roots Multicolor Rt 60x120cm



R8JF Roots Beige Str District 30x90cm - R8LM Roots Beige Rt 60x60cm



R8JG Roots Grey Str District 30x90cm - R8LF Roots Grey Rt 60x120cm



R8JA Roots White Rt 30x90cm - R8LE Roots White Rt 60x120cm - R8LQ Roots White Rt 30x60cm - R8MC Roots Grey Str 60x120cm



R8JA Roots White Rt 30x90cm - R8LE Roots White Rt 60x120cm



R8MD Roots Beige Str 60x120cm



RA88 Roots Grey Str Rt 100x100cm



RA7S Roots Grey Rt 100x100cm - RA87 Roots Beige Str Rt 100x100cm



R90F Decora Decoro Palm Rt 60x120cm - RA7T Roots Multicolor Rt 100x100cm



R8GZ Gleeze Beige Glossy 7x20cm - R8HG Gleeze Beige Struttura Eye Glossy 7x20cm - RA7Q Roots White Rt 100x100cm



R8LG Roots Beige Rt 60x120cm



R8JH Roots White Str District 30x90cm - R8LF Roots Grey Rt 60x120cm



R8LG Roots Beige Rt 60x120cm - R8MD Roots Beige Str 60x120cm



R8J8 Roots Grey Rt 30x90cm - R8JG Roots Grey Str District 30x90cm - R8LL Roots Grey Rt 60x60cm



R8LG Roots Beige Rt 60x120cm



ROOTS COLLECTION

ROOTS COLLECTION

R8LH Roots Multicolor Rt 60x120cm - R8LN Roots Multicolor Rt 60x60cm - R8LT Roots Multicolor Rt 30x60cm



R8LH Roots Multicolor Rt 60x120cm - R8MK Roots Multicolor Str 60x60cm



R8LH Roots Multicolor Rt 60x120cm - R8MK Roots Multicolor Str 60x60cm

Porcelain Stoneware · White Body Wall Tiles



Beige

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R8J9	Roots Beige Rt	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	21,17	40	54,00	846,93
60x120cm	Natural	R8LG	Roots Beige Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	1,44	27,11	36	51,84	976,09
60x60cm	Natural	R8LM	Roots Beige Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	3	1,08	20,40	40	43,20	815,86
30x60cm	Natural	R8LS	Roots Beige Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	6	1,08	20,31	48	51,84	974,99
60x120cm	Structured Surface	R8MD	Roots Beige Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	1,44	27,23	36	51,84	980,33
60x60cm	Structured Surface	R8MJ	Roots Beige Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	3	1,08	19,90	40	43,20	796,02
30x60cm	Structured Surface	R8MP	Roots Beige Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	6	1,08	19,78	48	51,84	949,62
100x100cm	Natural	RA7R	Roots Beige Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	2,00	39,05	24	48,00	937,32
100x100cm	Structured Surface	RA87	Roots Beige Str Rt	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	2,00	39,45	24	48,00	946,75



Grey

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R8J8	Roots Grey Rt	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	23,26	40	54,00	930,55
60x120cm	Natural	R8LF	Roots Grey Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	1,44	26,58	36	51,84	956,99
60x60cm	Natural	R8LL	Roots Grey Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	3	1,08	20,51	40	43,20	820,51
30x60cm	Natural	R8LR	Roots Grey Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	6	1,08	18,90	48	51,84	907,25
60x120cm	Structured Surface	R8MC	Roots Grey Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	1,44	26,40	36	51,84	950,50
60x60cm	Structured Surface	R8MH	Roots Grey Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	3	1,08	20,42	40	43,20	816,64
30x60cm	Structured Surface	R8MN	Roots Grey Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	6	1,08	19,91	48	51,84	955,58
100x100cm	Natural	RA7S	Roots Grey Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	2,00	38,91	24	48,00	933,85
100x100cm	Structured Surface	RA88	Roots Grey Str Rt	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	2,00	39,12	24	48,00	938,97

Porcelain Stoneware · White Body Wall Tiles



Multicolor

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Natural	R8LH	Roots Multicolor Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	2	1,44	26,41	36	51,84	950,84
60x60cm	Natural	R8LN	Roots Multicolor Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	3	1,08	20,57	40	43,20	822,86
30x60cm	Natural	R8LT	Roots Multicolor Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	6	1,08	21,00	48	51,84	1.007,97
60x120cm	Structured Surface	R8ME	Roots Multicolor Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	2	1,44	27,43	36	51,84	987,43
60x60cm	Structured Surface	R8MK	Roots Multicolor Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	3	1,08	20,50	40	43,20	820,05
30x60cm	Structured Surface	R8MQ	Roots Multicolor Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	6	1,08	20,60	48	51,84	988,94
100x100cm	Natural	RA7T	Roots Multicolor Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	2	2,00	37,73	24	48,00	905,49
100x100cm	Structured Surface	RA89	Roots Multicolor Str Rt	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V3	Puro Marazzi Antibacterial, StepWise	2	2,00	39,90	24	48,00	957,70



White

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R8JA	Roots White Rt	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	21,18	40	54,00	847,32
60x120cm	Natural	R8LE	Roots White Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	1,44	26,61	36	51,84	957,87
60x60cm	Natural	R8LK	Roots White Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	3	1,08	20,18	40	43,20	807,17
30x60cm	Natural	R8LQ	Roots White Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	6	1,08	20,22	48	51,84	970,60
60x120cm	Structured Surface	R8MA	Roots White Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	1,44	26,39	36	51,84	949,97
60x60cm	Structured Surface	R8MG	Roots White Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	3	1,08	20,10	40	43,20	804,02
30x60cm	Structured Surface	R8MM	Roots White Str	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	6	1,08	20,11	48	51,84	965,18
100x100cm	Natural	RA7Q	Roots White Rt	MM 8,5	•			R10B	> 0.40	Class 2	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	2,00	37,67	24	48,00	904,13
100x100cm	Structured Surface	RA84	Roots White Str Rt	MM 8,5	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	Puro Marazzi Antibacterial, StepWise	2	2,00	38,12	24	48,00	914,98



District 3D

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R8JF	Roots Beige Str District	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	19,84	40	54,00	793,42
30x90cm	Matt	R8JG	Roots Grey Str District	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	20,08	40	54,00	803,09
30x90cm	Matt	R8JH	Roots White Str District	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	17,89	40	54,00	715,42



Bluwall

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Matt	R8JD	Roots Decoro Bluwall Grey	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	22,73	40	54,00	909,09
30x90cm	Matt	R8PM	Roots Dec Bluwall Beige	MM 10	•										V1	Puro Marazzi Antibacterial	5	1,35	22,73	40	54,00	909,09




Mosaic White

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R8PP	Roots White Mosaico	MM 10	•										V1		4	0,36	6,50	60	21,60	390,00



Mosaic Beige



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R8PQ	Roots Beige Mosaico	MM 10	•										V1		4	0,36	6,50	60	21,60	390,00



Mosaic Grey

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Matt	R8PR	Roots Grey Mosaico	MM 10	•										V1		4	0,36	6,50	60	21,60	390,00

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 9001	EPD Spain	Recycled Material	Greenguard	LEED Credits	QBUPEC	Declare	HPD
							
CCC	CE 001MRZI	CE 005MRZI	CE 009MRZI	UKCA 00 1MRZUK	UKCA 00 5MRZUK	UKCA 00 9MRZUK	SASO



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/04/2026

RAGNO 