

SMART FLOOR

**Key  
Collection**





RA3P Key Taupe Natural 15x60cm

## Key

The new Key wood-effect porcelain stoneware collection has a surface with a decidedly rustic feel. Available in the 15.5x60.5 cm size, Key comes in 5 classic shades: White, Beige, Taupe, Brown and Grey, perfect for giving modern and Nordic-style interiors a more lived-in look.



RA3N Key Dark Natural 15x60cm



RA3M Key Beige Natural 15x60cm

Porcelain Stoneware



**Beige**

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3M	Key Beige Natural	MM 7,5				R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35
15,5x60,5cm	Grip	RA3U	Key Beige Grip	MM 7,5				R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G			12	1,13	22,80	48	54,02	1.094,35



**Dark**

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3N	Key Dark Natural	MM 7,5				R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35



**Grey**

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3Q	Key Grey Natural	MM 7,5				R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35

Porcelain Stoneware




**Natural**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3L	Key Natural Natural	MM 7,5				R9	> 0.40	Class 1				H			12	1,13	22,80	48	54,02	1.094,35
15,5x60,5cm	Grip	RA3T	Key Natural Grip	MM 7,5				R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G			12	1,13	22,80	48	54,02	1.094,35



**Taupe**



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3P	Key Taupe Natural	MM 7,5				R9	> 0.40	Class 1				G			12	1,13	22,80	48	54,02	1.094,35



**White**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15,5x60,5cm	Natural	RA3K	Key White Natural	MM 7,5				R9	> 0.40	Class 1				H			12	1,13	22,80	48	54,02	1.094,35

### Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

### Destinazioni d'uso

**D**  
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

### Variazioni cromatiche

**V0**  
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

**G**  
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

**V3**  
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

### Certificazioni

					
LEED Credits	Declare	HPD	CE 001MRZI	UKCA 00 1MRZUK	SASO

© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 13/04/2026

**RAGNO** 