




# Realstone\_Ceppo XT20 Collection

XT20






RCGX Stratford Wall Struttura 3D Resina Clay Rt 40x120cm - RCYQ Ceppo Xt20 Bianco Rt 60x120cm

## Realstone\_Ceppo XT20

A pleasantly structured, completely anti-slip outdoor finish is provided on the four Realstone\_Ceppo colors in 60x120 cm size with thickness of 20 mm. XT20 colorbody fine porcelain stoneware is a convenient, versatile product, exceptionally durable and immune to wear and weathering.




R8FR Look Blu Glossy 6x24cm - RCYQ Ceppo Xt20 Bianco Rt 60x120cm - RD1N Ceppo Xt20 Bianco Elemento L Rt 15x120cm




### Ceppo Antracite

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Structured Surface	RCYR	Ceppo Xt20 Antracite Rt	MM 20	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H	V2		1	0,72	33,00	36	25,92	1.187,90




### Ceppo Beige

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Structured Surface	RCYS	Ceppo Xt20 Beige Rt	MM 20	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H	V2		1	0,72	33,00	36	25,92	1.187,90



### Ceppo Bianco



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Structured Surface	RCYQ	Ceppo Xt20 Bianco Rt	MM 20	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H	V2		1	0,72	32,36	36	25,92	1.164,94
60x60cm	Structured Surface	RD7E	Ceppo Xt20 Bianco Rt	MM 20	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H	V2		2	0,72	32,17	32	23,04	1.029,49



## Ceppo Grigio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Structured Surface	RCYP	Ceppo Xt20 Grigio Rt	MM 20	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H	V2		1	0,72	31,83	36	25,92	1.145,89
60x60cm	Structured Surface	RD7F	Ceppo Xt20 Grigio Rt	MM 20	•			R11C	> 0.40	Class 3	36+ Slider 96		>= 0.60	H	V2		2	0,72	32,67	32	23,04	1.045,37

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

**D**  
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

**V0**  
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

Certificazioni

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	LEED Credits	FDES
							
Declare	HPD	CAM Sassuolo	CCC	CE 001MRZI	UKCA 00 1MRZUK	SASO	

**G**  
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

**V3**  
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 10/04/2026

**RAGNO** 