

WALL TILES

**Hand  
Collection**





RDAZ Incanto Onice Venato Avorio Rettificato 120x278cm - RDCL Hand 3D Made Calce Rt 33x100cm

## Hand

Hand evokes the aesthetic of plastered and troweled walls, with smooth and dense surfaces enhanced by 3D Ink technology. Available in the 33x100 cm format and in two neutral shades — Pomice and Calce — it includes the three-dimensional structures Made and Form, and the Kerala décor inspired by textile lace. Ideal for residential and commercial spaces, it combines authenticity and simplicity in a contemporary style.



RDDM Hand 3D Form Pomice Rt 33x100cm



RDCK Hand 3D Made Pomice Rt 33x100cm



RDCJ Hand Decoro Kerala Touch Rt 33x100cm - RDCM Hand Calce Rt 33x100cm - RDES Solida Avorio Rt 100x100cm



RDCC Nodis Natural Rt 20x120cm - RDCJ Hand Decoro Kerala Touch Rt 33x100cm - RDCK Hand 3D Made Pomice Rt 33x100cm - RDCN Hand Pomice Rt 33x100cm



RDCK Hand 3D Made Pomice Rt 33x100cm - RDDR Solida Avorio Rt 120x120cm




R8ND Incanto Calacatta Nobile Glossy Rettificato 120x278cm - RDCM Hand Calce Rt 33x100cm - RDDN Hand 3D Form Calce Rt 33x100cm - RDET Solida Corda Rt 100x100cm



RDCF Nodis Natural 5x30cm - RDCN Hand Pomice Rt 33x100cm - RDDM Hand 3D Form Pomice Rt 33x100cm

## White Body Wall Tiles




### Calce

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
33x100cm	Matt	RDCM	Hand Calce Rt	MM 10	•											3D Ink	4	1,32	21,40	48	63,36	1.027,40



### Pomice

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
33x100cm	Matt	RDCN	Hand Pomice Rt	MM 10	•											3D Ink	4	1,32	21,38	48	63,36	1.026,07



### 3d Made

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
33x100cm	Matt	RDCK	Hand 3d Made Pomice Rt	MM 10	•											3D Ink	4	1,32	19,25	48	63,36	923,88
33x100cm	Matt	RDCL	Hand 3d Made Calce Rt	MM 10	•											3D Ink	4	1,32	19,34	48	63,36	928,49

White Body Wall Tiles



**3d Form**



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
33x100cm	Matt	RDDM	Hand 3d Form Pomice Rt	MM 10	•											3D Ink	4	1,32	19,65	48	63,36	943,00
33x100cm	Matt	RDDN	Hand 3d Form Calce Rt	MM 10	•											3D Ink	4	1,32	19,76	48	63,36	948,36



**Kerala**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
33x100cm	Matt	RDCJ	Hand Decoro Kerala Touch Rt	MM 10	•											3D Ink, Touch	4	1,32	21,05	48	63,36	1.010,53

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

**D**  
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

**V0**  
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run









**G**  
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

**V3**  
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material


Certificazioni

							
ISO 9001	EPD Spain	Recycled Material	LEED Credits	Declare	HPD	CE 005MRZI	UKCA 00 5MRZUK

  
 SASO

LEGENDA

CERTIFICAZIONI



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/04/2026

**RAGNO** 