



STORIE

Mid
Collection





RDES Solida Avorio Rt 100x100cm - RDFL Mid Lino Glossy 6x24cm - RDFM Mid Turchese Glossy 6x24cm - RDFV Mid Turchese Struttura 3D Way Glossy 6x24cm

Mid

Mid reinterprets small artisanal productions with the precision of porcelain stoneware. In the 6x24 cm format with a Glossy finish, each piece is unique thanks to the glass grit and glossy glaze, rich in nuances and edge burnishing. Available in six powdery shades — Lino, Sabbia, Ambra, Rubino, Turchese, and Salvia — it is completed by the 3D Way structure, ideal for decorative walls and architectural details. Mid is ideal for cladding interior walls, but it is also suitable for furnishing elements and façades.



RCWL Ceppo Grigio Rt 120x120cm - RDFL Mid Lino Glossy 6x24cm - RDFW Mid Salvia Struttura 3D Way Glossy 6x24cm



RCFN Stratford Red Natural Rt 120x278cm - RDEV Solida Tappeto 2 Caldo Rt 100x100cm - RDFP Mid Ambra Glossy 6x24cm



RDEN Solida Grigio Rt 100x100cm - RDFN Mid Rubino Glossy 6x24cm - RDFT Mid Rubino Struttura 3D Way Glossy 6x24cm



RDCF Nodis Natural 5x30cm - RDFW Mid Salvia Struttura 3D Way Glossy 6x24cm



RDDS Solida Bianco Rt 120x120cm - RDDX Solida Bianco Strutturato 120x120cm - RDFR Mid Salvia Glossy 6x24cm



RDCN Hand Pomice Rt 33x100cm - RDN Solida Grigio Rt 100x100cm - RDFM Mid Turchese Glossy 6x24cm - RDFV Mid Turchese Struttura 3D Way Glossy 6x24cm



RDEW Incanto Onice Perla Rettificato 120x278cm - RDFN Mid Rubino Glossy 6x24cm - RDFT Mid Rubino Struttura 3D Way Glossy 6x24cm



RCXG Ceppo Bianco R10 Rt 90x180cm - RDCC Nodis Natural Rt 20x120cm - RDFL Mid Lino Glossy 6x24cm - RDFS Mid Sabbia Struttura 3D Way Glossy 6x24cm



MID COLLECTION

MID COLLECTION

RCYP Ceppo Xt20 Grigio Rt 60x120cm - RDFP Mid Ambra Glossy 6x24cm - RDFU Mid Ambra Struttura 3D Way Glossy 6x24cm



RDCS Realstone_Classica Avorio R10 Rt 120x120cm - RDFL Mid Lino Glossy 6x24cm - RDFN Mid Rubino Glossy 6x24cm

Porcelain Stoneware




Ambra

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 6x24cm | Glossy | RDFP | Mid Ambra Glossy | MM 10 | | | | | | | | | | F | V1 | | 36 | 0,52 | 10,04 | 95 | 49,25 | 953,86 |



Lino

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-----------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 6x24cm | Glossy | RDFL | Mid Lino Glossy | MM 10 | | | | | | | | | | F | V1 | | 36 | 0,52 | 10,12 | 95 | 49,25 | 961,12 |



Rubino

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 6x24cm | Glossy | RDFN | Mid Rubino Glossy | MM 10 | | | | | | | | | | F | V1 | | 36 | 0,52 | 10,04 | 95 | 49,25 | 954,23 |

Porcelain Stoneware



Sabbia

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 6x24cm | Glossy | RDFQ | Mid Sabbia Glossy | MM 10 | | | | | | | | | | F | V1 | | 36 | 0,52 | 10,01 | 95 | 49,25 | 950,55 |



Salvia

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 6x24cm | Glossy | RDFR | Mid Salvia Glossy | MM 10 | | | | | | | | | | F | V1 | | 36 | 0,52 | 10,06 | 95 | 49,25 | 955,53 |



Turchese

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|---------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|--------|
| 6x24cm | Glossy | RDFM | Mid Turchese Glossy | MM 10 | | | | | | | | | | F | V1 | | 36 | 0,52 | 10,26 | 95 | 49,25 | 974,82 |

Porcelain Stoneware





3d Way



| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|--------------------------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|----------|
| 6x24cm | Glossy | RDFS | Mid Sabbia Struttura 3d Way Glossy | MM 13,5 | | | | | | | | | | | V1 | | 50 | 0,72 | 18,36 | 60 | 43,20 | 1.101,48 |
| 6x24cm | Glossy | RDFT | Mid Rubino Struttura 3d Way Glossy | MM 13,5 | | | | | | | | | | | V1 | | 50 | 0,72 | 18,31 | 60 | 43,20 | 1.098,68 |
| 6x24cm | Glossy | RDFU | Mid Ambra Struttura 3d Way Glossy | MM 13,5 | | | | | | | | | | | V1 | | 50 | 0,72 | 17,92 | 60 | 43,20 | 1.075,43 |
| 6x24cm | Glossy | RDFV | Mid Turchese Struttura 3d Way Glossy | MM 13,5 | | | | | | | | | | | V1 | | 50 | 0,72 | 18,54 | 60 | 43,20 | 1.112,54 |
| 6x24cm | Glossy | RDFW | Mid Salvia Struttura 3d Way Glossy | MM 13,5 | | | | | | | | | | | V1 | | 50 | 0,72 | 18,69 | 60 | 43,20 | 1.121,20 |
| 6x24cm | Glossy | RDFX | Mid Lino Struttura 3d Way Glossy | MM 13,5 | | | | | | | | | | | V1 | | 50 | 0,72 | 18,40 | 60 | 43,20 | 1.103,73 |

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run




















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| ISO 14001 | ISO 50001 | ISO 45001 | ISO 9001 | Green Building Council | GPP | EPD Italy | ISO 17889-1 |
|  |  |  |  |  |  |  |  |
| LEED Credits | FDES | Declare | HPD | CCC | CAM Fiorano | CE 001MRZI | CE 009MRZI |
|  |  |  | | | | | |
| UKCA 00 1MRZUK | UKCA 00 9MRZUK | SASO | | | | | |



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/04/2026

RAGNO 