




STONE EFFECT

true
Collection





RDLA True Beige Rt 80x80cm

true

Text: True is the new porcelain stoneware collection inspired by limestone, recreating its natural details through subtle and refined veining. Available in four colors – Ivory, Beige, Grey, Greige – and in sizes 60x120, 80x80, 60x60 and 30x60 with Natural R9 finish, with 60x120 and 60x60 also offered in Outdoor R11 C version. The collection also includes True Xt20, in 60x60 size with 20 mm thickness, ideal for outdoor applications and dry installation on grass, sand, gravel or driveways.



RDHX Mythos Statuario White Rt 30x60cm - RDK1 True Grey Rt 60x120cm



RDK0 True Ivory Rt 60x120cm



RDK2 True Ice Rt 60x120cm



RDK2 True Ice Rt 60x120cm - RDK7 True Ice Strutturato 60x120cm

Porcelain Stoneware



Beige

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Natural	RDK3	True Beige Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,44	27,73	36	51,84	998,27
60x120cm	Structured Surface	RDK6	True Beige Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			2	1,44	27,00	36	51,84	972,06
60x60cm	Natural	RDK8	True Beige Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			3	1,08	19,75	48	51,84	947,89
60x60cm	Structured Surface	RDKD	True Beige Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			3	1,08	20,00	48	51,84	960,00
80x80cm	Natural	RDLA	True Beige Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,28	22,80	48	61,44	1.094,41
30x60cm	Natural	RDLN	True Beige Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			7	1,26	22,30	48	60,48	1.070,63




Grey

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Natural	RDK1	True Grey Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,44	28,06	36	51,84	1.010,33
60x120cm	Structured Surface	RDK5	True Grey Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			2	1,44	27,00	36	51,84	972,06
60x60cm	Natural	RDKA	True Grey Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			3	1,08	19,76	48	51,84	948,58
60x60cm	Structured Surface	RDKG	True Grey Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			3	1,08	20,00	48	51,84	960,00
80x80cm	Natural	RDLA	True Grey Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,28	22,72	48	61,44	1.090,52
30x60cm	Natural	RDLK	True Grey Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			7	1,26	22,34	48	60,48	1.072,15

TRUE COLLECTION


TRUE COLLECTION

Porcelain Stoneware



Ice

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Natural	RDK2	True Ice Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,44	28,24	36	51,84	1.016,47
60x120cm	Structured Surface	RDK7	True Ice Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			2	1,44	27,00	36	51,84	972,06
60x60cm	Natural	RDK9	True Ice Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			3	1,08	19,58	48	51,84	939,81
60x60cm	Structured Surface	RDKE	True Ice Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			3	1,08	20,00	48	51,84	960,00
80x80cm	Natural	RDLE	True Ice Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,28	22,76	48	61,44	1.092,27
30x60cm	Natural	RDLM	True Ice Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			7	1,26	22,29	48	60,48	1.069,69





Ivory

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x120cm	Natural	RDK0	True Ivory Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,44	27,37	36	51,84	985,18
60x120cm	Structured Surface	RDK4	True Ivory Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			2	1,44	27,00	36	51,84	972,06
60x60cm	Natural	RDKC	True Ivory Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			3	1,08	19,69	48	51,84	944,95
60x60cm	Structured Surface	RDKF	True Ivory Strutturato	MM 8,5	•			R11C	> 0.40	Class 3	36+ Both Sliders		>= 0.42	G			3	1,08	20,00	48	51,84	960,00
80x80cm	Natural	RDLD	True Ivory Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			2	1,28	22,76	48	61,44	1.092,46
30x60cm	Natural	RDLL	True Ivory Rt	MM 8,5	•			R9	> 0.40	Class 1			>= 0.42	G			7	1,26	22,31	48	60,48	1.070,82

TRUE COLLECTION

TRUE COLLECTION

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

















Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

Certificazioni


							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	LEED Credits	FDES
							
Declare	HPD	CAM Sassuolo	CE 001MRZI	CE 009MRZI	UKCA 00 1MRZUK	UKCA 00 9MRZUK	SASO

G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 17/04/2026

RAGNO 