


STONE EFFECT

Stoneway_Barge Antica Collection






Stoneway_Barge Antica

Tiles that are perfect for paving simple, modern outdoor areas, but also appear to great effect in more traditional contexts. Stoneway_Barge Antica, available in 5 sizes with modular compatibility, allows a vast range of installation solutions, with modules that are particularly striking on large surface areas.



R45X Stoneway_Barge Grigio 20x20cm - R465 Stoneway_Barge Grigio 20x40cm

Porcelain Stoneware




Beige

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
20x20cm	Structured Surface	R45W	Stoneway_barge Beige	MM 09				R11B	> 0.40	Class 3	36+ Slider 96			H			26	1,04	19,26	54	56,16	1.040,00
20x40cm	Structured Surface	R45Z	Stoneway_barge Beige	MM 09				R11B	> 0.40	Class 3	36+ Slider 96			H			13	1,04	18,15	54	56,16	980,28



Bianco

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
20x20cm	Structured Surface	R45V	Stoneway_barge Bianco	MM 09				R11B	> 0.40	Class 3	36+ Slider 96			H			26	1,04	17,92	54	56,16	967,61
20x40cm	Structured Surface	R45Y	Stoneway_barge Bianco	MM 09				R11B	> 0.40	Class 3	36+ Slider 96			H			13	1,04	18,50	54	56,16	998,76





Grigio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
20x20cm	Structured Surface	R45X	Stoneway_barge Grigio	MM 09				R11B	> 0.40	Class 3	36+ Slider 96			H			26	1,04	17,36	54	56,16	937,41
20x40cm	Structured Surface	R465	Stoneway_barge Grigio	MM 09				R11B	> 0.40	Class 3	36+ Slider 96			H			13	1,04	18,78	54	56,16	1.013,90

STONEWAY_BARGE ANTICA COLLECTION

STONEWAY_BARGE ANTICA COLLECTION

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run



















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	Greenguard
							
LEED Credits	FDES	Declare	HPD	CAM Sassuolo	CAM Ubersetto	CCC	CE 001MRZI
							
UKCA 001MRZUK	SASO						



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 16/04/2026

RAGNO 